

PIPE CUTTING BEVELING MACHINE

ORIGIN CHINA



Functions

This series of products is a portable external installation pipe-cutting groove device. It's lightweight, has small radical clearance, easy to carry, easy to use, and so on. Widely used in petroleum, chemical, natural gas, food, boiler, pharmaceutical, nuclear power, field pipe construction, and other industries pipeline installation engineering and repair operations, such as West to East gas transmission project.

Key Features

- The machine is light in weight and convenient for field operation
- Haff split design can be split apart and installed in any position of the pipeline, fast and convenient. Pipelines can also be operated underground or in complex environments
- Cold cutting processing method, does not change the metallography. It is very suitable for processing in some special places
- The machine is equipped with a cutter and a groove cutter to cut off and get a smooth groove at the same time
- It can process V / U / double V type and other groove forms
- Drive mode can be electric, servo motor, pneumatic, hydraulic station, etc

Singapore HQ

Blk 6 Marsiling Industrial Estate Road 1
#01-14 Singapore 739275
www.danoxwelding.com
sales@danoxwelding.com
Tel: 6756 2801 WA: 9850 1419

Myanmar

Law Kar Main Road (19/A) No. 3/427
South Dagon Township, Yangon, Myanmar
www.danoxwelding.com
sales@danoxwelding.com
WA: +95 9 40003 5177

Indonesia- Pt. Inti Bangunan Perkasa

No. 15-17 Jalan Pelita 1, Batam, Kepulauan Riau
29453
Retail
Blok D, No. 5 Jalan Pembangunan 2, Komplek
Batama, Batam, Kepulauan Riau- 29432

PIPE CUTTING BEVELING MACHINE

ORIGIN CHINA



Project Reference



Singapore HQ

Blk 6 Marsiling Industrial Estate Road 1
#01-14 Singapore 739275
www.danoxwelding.com
sales@danoxwelding.com
Tel: 6756 2801 WA: 9850 1419

Myanmar

Law Kar Main Road (19/A) No. 3/427
South Dagon Township, Yangon, Myanmar
www.danoxwelding.com
sales@danoxwelding.com
WA: +95 9 40003 5177

Indonesia- Pt. Inti Bangunan Perkasa


No. 15-17 Jalan Pelita 1, Batam, Kepulauan Riau
29453
Retail
Blok D, No. 5 Jalan Pembangunan 2, Komplek
Batama, Batam, Kepulauan Riau- 29432

PIPE CUTTING BEVELING MACHINE


ORIGIN CHINA

Danox
WELDING PTE LTD

Operational Function



Groove Type



Driving Mode Type



Electric Drive

- Applicable to conventional pipe diameter



Servo Motor Drive

- Applicable to thick wall diameter pipe & large diameter pipe



Pneumatic Drive

- Applicable to site that is inflammable & explosive.



Hydraulic Station Drive

- Applicable to thick wall diameter pipe, large diameter pipe and in sites that is inflammable and explosive

Singapore HQ

Blk 6 Marsiling Industrial Estate Road 1
#01-14 Singapore 739275
www.danoxwelding.com
sales@danoxwelding.com
Tel: 6756 2801 WA: 9850 1419

Myanmar

Law Kar Main Road (19/A) No. 3/427
South Dagon Township, Yangon, Myanmar
www.danoxwelding.com
sales@danoxwelding.com
WA: +95 9 40003 5177

Indonesia- Pt. Inti Bangunan Perkasa

No. 15-17 Jalan Pelita 1, Batam, Kepulauan Riau
29453
Retail
Blok D, No. 5 Jalan Pembangunan 2, Komplek
Batama, Batam, Kepulauan Riau- 29432

PIPE CUTTING BEVELING MACHINE

ORIGIN CHINA

Danox
WELDING PTE LTD

Specification

可选驱动 Optional drive	型号 Model	适用管径 Diameter		机器尺寸mm Machine dimensions			重量 Weight (kg)
		(mm)	inch	A	B	C	
OPD 电动驱动 Electric drive	90	10~90mm	1/4"~4"	95mm	181mm	161mm	28kg
	168	25.4~168mm	1"~6"	174mm	234mm	161mm	35kg
	219	50.8~219mm	2"~8"	225mm	259mm	175mm	42kg
	273	114~273mm	4"~10"	279mm	295mm	175mm	55kg
	325	168~325mm	6"~12"	329mm	321mm	175mm	65kg
	377	219~377mm	8"~16"	387mm	357mm	175mm	70kg
	406	256~406mm	10"~16"	414mm	363mm	175mm	75kg
OPK 伺服电机驱动 Servo motor drive	457	323~457mm	12"~18"	465mm	389mm	175mm	80kg
	508	355~508mm	14"~20"	514mm	413mm	175mm	85kg
	560	406~560mm	16"~22"	568mm	425mm	175mm	87kg
	610	457~610mm	18"~24"	616mm	464mm	175mm	90kg
	660	508~660mm	20"~26"	670mm	490mm	175mm	93kg
	715	560~710mm	22"~28"	720mm	512mm	175mm	95kg
OPF 气动驱动 Pneumatic drive	762	610~762mm	24"~30"	768mm	540mm	175mm	105kg
	813	660~813mm	26"~32"	820mm	572mm	175mm	110kg
	914	770~914mm	30"~36"	924mm	688mm	175mm	120kg
	1066	914~1066mm	36"~42"	1076mm	780mm	175mm	145kg
	1160	980~1160mm	40"~46"	1168mm	805mm	221mm	155kg
OPH 液压站驱动 Hydraulic station drive	1240	1066~1240mm	42"~48"	1250mm	830mm	221mm	190kg
	1300	1100~1300mm	46"~52"	1306mm	840mm	221mm	205kg
	1500	1300~1500mm	52"~58"	1505mm	940mm	221mm	245kg
	1700	1500~1700mm	58"~68"	1708mm	1040mm	221mm	290kg
	1900	1700~1900mm	68"~74"	1910mm	1150mm	221mm	345kg
	2100	1900~2100mm	74"~82"	2110mm	1250mm	221mm	410kg

- 请根据您的管径选择适合机型~
Please select the suitable model according to your operation requirements~

Singapore HQ

Blk 6 Marsiling Industrial Estate Road 1
#01-14 Singapore 739275
www.danoxwelding.com
sales@danoxwelding.com
Tel: 6756 2801 WA: 9850 1419

Myanmar

Law Kar Main Road (19/A) No. 3/427
South Dagon Township, Yangon, Myanmar
www.danoxwelding.com
sales@danoxwelding.com
WA: +95 9 40003 5177

Indonesia- Pt. Inti Bangunan Perkasa

No. 15-17 Jalan Pelita 1, Batam, Kepulauan Riau
29453
Retail
Blok D, No. 5 Jalan Pembangunan 2, Komplek
Batama, Batam, Kepulauan Riau- 29432